


90°英管内螺纹平面
90°BSP FEMALE FLAT SEAT




22291


代号 PART NO.	螺纹 E THREAD E	软管 HOSE BORE		尺寸 DIMENSIONS			
		公称内径 DN	标号 DASH	A	C	H	S2
22291-04-04	G1/4"X19	6	04	30	8	34.5	19
22291-06-06	G3/8"X19	10	06	35.3	9	41.3	22
22291-08-08	G1/2"X14	12	08	41	10.5	48	27
22291-12-12	G3/4"X14	20	12	65.5	13.5	63.5	32
22291-16-16	G1"X11	25	16	76.7	15.5	70	41
22291-20-20W	G1.1/4"X11	32	20	91.5	15.5	82.5	50
22291-24-24W	G1.1/2"X11	40	24	109.4	17.5	98.5	55

注：1.表中代号用于编织软管。2.如需用于缠绕软管代号改为22292-XX-XX。
NOTE:1.For use with braided hoses. 2.If use with spiral hoses, hose fitting series number is 22292-XX-XX.


英管内螺纹 60°外锥面
BSP FEMALE 60°CONE



22611



22611-T




22611-W

代号 PART NO.	螺纹 E THREAD E	软管 HOSE BORE		尺寸 DIMENSIONS		
		公称内径DN	标号 DASH	A	C	S2
22611-02-03	G1/8"X28	5	03	15	5.5	14
22611-02-04	G1/8"X28	6	04	15	5.5	14
22611-04-03	G1/4"X19	5	03	17	5.5	19
22611-04-04	G1/4"X19	6	04	18	5.5	19
22611-04-05	G1/4"X19	8	05	18	5.5	19
22611-04-06	G1/4"X19	10	06	18	5.5	19
22611-06-04	G3/8"X19	6	04	19	6.3	22
22611-06-05	G3/8"X19	8	05	19	6.3	22
22611-06-06	G3/8"X19	10	06	19.5	6.3	22
22611-06-08	G3/8"X19	12	08	19.5	6.3	22
22611-08-06 T	G1/2"X14	10	06	21	7.5	27
22611-08-08	G1/2"X14	12	08	21.5	7.5	27
22611-10-08	G5/8"X14	12	08	22	9.5	30
22611-10-10	G5/8"X14	16	10	23.5	9.5	30
22611-12-08T	G3/4"X14	12	08	22	10.9	32
22611-12-10	G3/4"X14	16	10	24	10.9	32
22611-12-12	G3/4"X14	20	12	24	10.9	32
22611-16-12T	G1"X11	20	12	24	11.7	41
22611-16-14	G1"X11	22	14	26	11.7	41
22611-16-16	G1"X11	25	16	27	11.7	41
22611-20-16T	G1.1/4"X11	25	16	27.5	11	50
22611-20-20W	G1.1/4"X11	32	20	30.5	11	50
22611-24-20T	G1.1/2"X11	32	20	32	13	55
22611-24-24W	G1.1/2"X11	40	24	32	13	55
22611-32-24T	G2"X11	40	24	30	16	70
22611-32-32W	G2"X11	50	32	31.9	16	70

注：1.表中代号用于编织软管。2.如需用于缠绕软管代号改为22612-XX-XX。
NOTE:1.For use with braided hoses. 2.If use with spiral hoses, hose fitting series number is 22612-XX-XX.


英管内螺纹 60°外锥面双六角
BSP FEMALE 60°CONE DOUBLE HEXAGON



代号 PART NO.	螺纹 E THREAD E	软管 HOSE BORE		尺寸 DIMENSIONS			
		公称内径DN	标号 DASH	A	C	S1	S2
22611D-04-04	G1/4"X19	6	04	23.5	5.5	19	19
22611D-06-06	G3/8"X19	10	06	26.5	6.3	22	22
22611D-08-08	G1/2"X14	12	08	31	7.5	27	27
22611D-10-08	G5/8"X14	12	08	32	9.5	30	30
22611D-12-08	G3/4"X14	12	08	33	10.9	32	32
22611D-12-12	G3/4"X14	20	12	34	10.9	32	32
22611D-16-16	G1"X11	25	16	35.5	11.7	41	41
22611D-20-20	G1.1/4"X11	32	20	43.5	11	50	50

注：1.表中代号用于编织软管。2.如需用于缠绕软管代号改为22612D-XX-XX。
NOTE:1.For use with braided hoses. 2.If use with spiral hoses, hose fitting series number is 22612D-XX-XX.


英管内螺纹 60°外锥面双六角
BSP FEMALE 60°CONE DOUBLE HEXAGON




代号 PART NO.	螺纹 E THREAD E	软管 HOSE BORE		尺寸 DIMENSIONS			
		公称内径DN	标号 DASH	A	C	S1	S2
22611D-04-04SM	G1/4"X19	6	04	23	5.5	14	19
22611D-06-06SM	G3/8"X19	10	06	25	6.3	17	22
22611D-08-08SM	G1/2"X14	12	08	28.5	7.5	22	27
22611D-10-08SM	G5/8"X14	12	08	30	9.5	22	30
22611D-12-08SM	G3/4"X14	12	08	32.1	10.9	27	32
22611D-12-12SM	G3/4"X14	20	12	32.5	10.9	27	32
22611D-16-16SM	G1"X11	25	16	36.3	11.7	32	41
22611D-20-20SM	G1.1/4"X11	32	20	41.5	11	41	50

注：1.表中代号用于编织软管。2.如需用于缠绕软管代号改为22612D-XX-XXSM。
NOTE:1.For use with braided hoses. 2.If use with spiral hoses, hose fitting series number is 22612D-XX-XXSM.


45°英管内螺纹 60°外锥面
45° BSP FEMALE 60°CONE



22641



22641-W




22641-T

代号 PART NO.	螺纹 E THREAD E	软管 HOSE BORE		尺寸 DIMENSIONS			
		公称内径DN	标号 DASH	A	C	H	S2
22641-04-04	G1/4"X19	6	04	42.3	5.5	20.2	19
22641-06-04	G3/8"X19	6	04	43.2	6.3	21	22
22641-06-05	G3/8"X19	8	05	45.3	6.3	22	22
22641-06-06	G3/8"X19	10	06	46.9	6.3	22.6	22
22641-08-06T	G1/2"X14	10	06	48.1	7.5	23.9	27
22641-08-08	G1/2"X14	12	08	61.1	7.5	26.1	27
22641-10-08	G5/8"X14	12	08	61.4	9.5	26.5	30
22641-10-10	G5/8"X14	16	10	72.6	9.5	27.8	30
22641-12-08T	G3/4"X14	12	08	61.8	10.9	26.9	32
22641-12-10	G3/4"X14	16	10	73	10.9	28.2	32
22641-12-12	G3/4"X14	20	12	79.2	10.9	31.8	32
22641-16-12T	G1"X11	20	12	80.8	11.7	33.4	41
22641-16-16	G1"X11	25	16	88.4	11.7	34.2	41
22641-20-16T	G1.1/4"X11	25	16	85.3	11	31.1	50
22641-20-20W	G1.1/4"X11	32	20	98.8	11	38	50
22641-24-24W	G1.1/2"X11	40	24	116.8	13	45.5	55
22641-32-32W	G2"X11	50	32	135.7	16	52.7	70

注：1.表中代号用于编织软管。2.如需用于缠绕软管代号改为22642-XX-XX。
NOTE:1.For use with braided hoses. 2.If use with spiral hoses, hose fitting series number is 22642-XX-XX.

45°英管内螺纹 60°外锥面双六角
45°BSP FEMALE 60°CONE DOUBLE HEXAGON




22641D-SM


代号 PART NO.	螺纹 E THREAD E	软管 HOSE BORE		尺寸 DIMENSIONS				
		公称内径DN	标号 DASH	A	C	H	S1	S2
22641D-04-04SM	G1/4"X19	6	04	44.6	5.5	22.5	14	19
22641D-06-06SM	G3/8"X19	10	06	51.6	6.3	26.9	17	22
22641D-08-08SM	G1/2"X14	12	08	66	7.5	31	22	27
22641D-10-08SM	G5/8"X14	12	08	66	9.5	31	22	30
22641D-12-08SM	G3/4"X14	12	08	66	10.9	31.5	27	32
22641D-12-12SM	G3/4"X14	20	12	85.5	10.9	37.4	27	32
22641D-16-16SM	G1"X11	25	16	94.7	11.7	40.5	32	41

注：1.表中代号用于编织软管。2.如需用于缠绕软管代号改为22642D-XX-XXSM。
NOTE:1.For use with braided hoses. 2.If use with spiral hoses, hose fitting series number is 22642D-XX-XXSM.


90°英管内螺纹 60°外锥面
90°BSP FEMALE 60°CONE



22691



22691-W




22691-T

代号 PART NO.	螺纹 E THREAD E	软管 HOSE BORE		尺寸 DIMENSIONS			
		公称内径DN	标号 DASH	A	C	H	S2
22691-02-03	G1/8"X28	5	03	26.5	5.5	31.5	14
22691-02-04	G1/8"X28	6	04	30	5.5	34.5	14
22691-04-03	G1/4"X19	5	03	26.5	5.5	33.5	19
22691-04-04	G1/4"X19	6	04	30	5.5	36.5	19
22691-04-05	G1/4"X19	8	05	33	5.5	39.5	19
22691-04-06	G1/4"X19	10	06	30	5.5	36.5	19
22691-06-04	G3/8"X19	6	04	30	6.3	37.7	22
22691-06-05	G3/8"X19	8	05	33	6.3	40.7	22
22691-06-06	G3/8"X19	10	06	35.3	6.3	43	22
22691-08-06T	G1/2"X14	10	06	35.3	7	43.3	27
22691-08-08	G1/2"X14	12	08	41	7.5	51	27
22691-08-10	G1/2"X14	16	10	56.5	7.5	55.5	27
22691-10-08	G5/8"X14	12	08	41	9.5	51.5	30
22691-10-10	G5/8"X14	16	10	56.5	9.5	56	30
22691-12-08T	G3/4"X14	12	08	41	10.9	52.1	32
22691-12-10	G3/4"X14	16	10	56.5	10.9	56.6	32
22691-12-12	G3/4"X14	20	12	65.5	10.9	66	32
22691-16-12T	G1"X11	20	12	65.5	11.7	68.3	41
22691-16-14	G1"X11	22	14	71.2	11.7	69.3	41
22691-16-16	G1"X11	25	16	76.7	11.7	73.8	41
22691-20-16T	G1.1/4"X11	25	16	78	11	69.5	50
22691-20-20W	G1.1/4"X11	32	20	91.5	11	84.3	50
22691-24-24W	G1.1/2"X11	40	24	109.4	13	103	55
22691-32-32W	G2"X11	50	32	131.8	16	123.3	70

注：1.表中代号用于编织软管。 2.如需用于缠绕软管代号改为22692-XX-XX。
NOTE:1.For use with braided hoses. 2.If use with spiral hoses, hose fitting series number is 22692-XX-XX.


90°英管内螺纹 60°外锥面双六角
90°BSP FEMALE 60°CONE DOUBLE HEXAGON



代号 PART NO.	螺纹 E THREAD E	软管 HOSE BORE		尺寸 DIMENSIONS				
		公称内径DN	标号 DASH	A	C	H	S1	S2
22691D-04-04	G1/4"X19	6	04	30	5.5	40.5	19	19
22691D-06-06	G3/8"X19	10	06	35.3	6.3	49	22	22
22691D-08-08	G1/2"X14	12	08	41	7.5	58	27	27
22691D-12-12	G3/4"X14	20	12	65.5	10.9	74	32	32
22691D-16-16	G1"X11	25	16	76.6	11.7	82	41	41

注：1.表中代号用于编织软管。2.如需用于缠绕软管代号改为22692-XX-XX。
NOTE:1.For use with braided hoses. 2.If use with spiral hoses, hose fitting series number is 22692-XX-XX.


90°英管内螺纹 60°外锥面双六角
90°BSP FEMALE 60°CONE DOUBLE HEXAGON



代号 PART NO.	螺纹 E THREAD E	软管 HOSE BORE		尺寸 DIMENSIONS				
		公称内径DN	标号 DASH	A	C	H	S1	S2
22691D-04-04SM	G1/4"X19	6	04	30	5.5	40.5	14	19
22691D-06-06SM	G3/8"X19	10	06	35.3	6.3	49	17	22
22691D-08-08SM	G1/2"X14	12	08	41	7.5	58	22	27
22691D-10-08SM	G5/8"X14	12	08	41	9.5	58	22	30
22691D-12-08SM	G3/4"X14	12	08	41.5	10.9	58	27	32
22691D-12-12SM	G3/4"X14	20	12	65.5	10.9	74	27	32
22691D-16-16SM	G1"X11	25	16	76.7	11.7	82.8	32	41

注：1.表中代号用于编织软管。2.如需用于缠绕软管代号改为22692D-XX-XXSM。
NOTE:1.For use with braided hoses. 2.If use with spiral hoses, hose fitting series number is 22692D-XX-XXSM.

90°英管短身内螺纹 60°外锥面
90°BSP COMPACT FEMALE 60°CONE




代号 PART NO.	螺纹 E THREAD E	软管 HOSE BORE		尺寸 DIMENSIONS				
		公称内径DN	标号 DASH	A	C	H	S1	S2
22691K-04-04	G1/4"X19	6	04	17.5	5.5	18.5	11	19
22691K-06-04	G3/8"X19	6	04	20	6.3	23	16	22
22691K-06-05	G3/8"X19	8	05	20	6.3	23	16	22
22691K-06-06	G3/8"X19	10	06	20	6.3	24	16	22
22691K-08-06	G1/2"X14	10	06	23	7.5	26.5	19	27
22691K-08-08	G1/2"X14	12	08	23.5	7.5	28.5	19	27
22691K-10-10	G5/8"X14	16	10	25	9.5	29.2	22	30
22691K-12-12	G3/4"X14	20	12	27.5	10.9	33	27	32
22691K-16-16	G1"X11	25	16	32.5	11.7	38.1	33	41


注：1.表中代号用于编织软管。2.如需用于缠绕软管代号改为22692K-XX-XX。
NOTE:1.For use with braided hoses. 2.If use with spiral hoses, hose fitting series number is 22692K-XX-XXSM.

C


美制ORFS内螺纹平面
ORFS FEMALE FLAT SEAT (ISO 12151-1--SAE J516)



24211



24211-T




24211-W

代号 PART NO.	螺纹 E THREAD E	软管 HOSE BORE		尺寸 DIMENSIONS		
		公称内径DN	标号 DASH	A	C	S2
24211-04-04	9/16"X18	6	04	22.5	8.5	19
24211-04-05	9/16"X18	8	05	22.5	8.5	19
24211-04-06	9/16"X18	10	06	22.5	8.5	19
24211-06-04T	11/16"X16	6	04	23.5	10	22
24211-06-05T	11/16"X16	8	05	23.5	10	22
24211-06-06	11/16"X16	10	06	25.5	10	22
24211-06-08	11/16"X16	12	08	26	10	22
24211-08-05T	13/16"X16	8	05	25	11	27
24211-08-06T	13/16"X16	10	06	25	11	27
24211-08-08	13/16"X16	12	08	28	11	27
24211-08-10	13/16"X16	16	10	29	11	27
24211-10-08T	1"X14	12	08	29.5	13.5	30
24211-10-10	1"X14	16	10	33.5	13.5	30
24211-10-12	1"X14	20	12	33.5	13.5	30
24211-12-08T	1.3/16"X12	12	08	30.5	15	36
24211-12-10T	1.3/16"X12	16	10	31.5	15	36
24211-12-12	1.3/16"X12	20	12	35	15	36
24211-12-16	1.3/16"X12	25	16	36	15	36
24211-16-12T	1.7/16"X12	20	12	35	14.8	41
24211-16-14T	1.7/16"X12	22	14	34	14.8	41
24211-16-16T	1.7/16"X12	25	16	35	14.8	41
24211-16-20	1.7/16"X12	32	20	39.5	14.8	41
24211-20-16T	1.11/16"X12	25	16	35	15	50
24211-20-20W	1.11/16"X12	32	20	39.5	15	50
24211-20-24W	1.11/16"X12	40	24	39.5	15	50
24211-24-20T	2"X12	32	20	36	14.8	60
24211-24-24T	2"X12	40	24	36	14.8	60

注：1.表中代号用于编织软管。2.如需用于缠绕软管代号改为24212-XX-XX。
NOTE:1.For use with braided hoses. 2.If use with spiral hoses, hose fitting series number is 24212-XX-XX.

45°美制ORFS内螺纹平面
45°ORFS FEMALE FLAT SEAT (ISO 12151-1--SAE J516)




代号 PART NO.	螺纹 E THREAD E	软管 HOSE BORE		尺寸 DIMENSIONS			
		公称内径DN	标号 DASH	A	H	C	S2
24241-04-04	9/16"X18	6	04	45.5	23.4	8.5	19
24241-04-05	9/16"X18	8	05	47.6	24.3	8.5	19
24241-04-06	9/16"X18	10	06	49.2	24.9	8.5	19
24241-06-04T	11/16"X16	6	04	39.5	17.4	10	22
24241-06-05T	11/16"X16	8	05	42.3	19	10	22
24241-06-06	11/16"X16	10	06	51.7	27.4	10	22
24241-06-08	11/16"X16	12	08	63.9	29	10	22
24241-08-06T	13/16"X16	10	06	44.6	20.3	11	27
24241-08-08	13/16"X16	12	08	65.3	30.4	11	27
24241-08-10	13/16"X16	16	10	76.5	31.7	11	27
24241-10-08T	1"X14	12	08	58.2	23.3	13.5	30
24241-10-10	1"X14	16	10	79.7	34.9	13.5	30
24241-10-12	1"X14	20	12	86.5	38.4	13.5	30
24241-12-08T	1.3/16"X12	12	08	58.2	23.3	15	36
24241-12-10T	1.3/16"X12	16	10	69.4	24.6	15	36
24241-12-12	1.3/16"X12	20	12	87.6	39.5	15	36
24241-12-16	1.3/16"X12	25	16	95.3	41	15	36
24241-16-12T	1.7/16"X12	20	12	74	29.6	14.8	41
24241-16-14T	1.7/16"X12	22	14	78.7	28.5	14.8	41
24241-16-16T	1.7/16"X12	25	16	84.4	29.7	14.8	41
24241-16-20	1.7/16"X12	32	20	103.8	46.1	14.8	41
24241-20-16T	1.11/16"X12	25	16	80.9	32.7	15	50
24241-20-20W	1.11/16"X12	32	20	111.2	49	15	50
24241-20-24W	1.11/16"X12	40	24	123.6	52.9	15	50
24241-24-20T	2"X12	32	20	94.5	33.8	14.8	60
24241-24-24T	2"X12	40	24	108.5	37.7	14.8	60

注：1.表中代号用于编织软管。2.如需用于缠绕软管代号改为2424-XX-XX。
NOTE:1.For use with braided hoses. 2.If use with spiral hoses, hose fitting series number is 24242-XX-XX.

C


90°美制 ORFS内螺纹平面
90°ORFS FEMALE FLAT SEAT (ISO 12151-1--SAE J516)




代号 PART NO.	螺纹 E THREAD E	软管 HOSE BORE		尺寸 DIMENSIONS			
		公称内径DN	标号 DASH	A	H	C	S2
24291-04-04	9/16"X18	6	04	30	41	8.5	19
24291-04-05	9/16"X18	8	05	33	44	8.5	19
24291-04-06	9/16"X18	10	06	35.3	46.3	8.5	19
24291-06-05T	11/16"X16	8	05	33	37.5	10	22
24291-06-06	11/16"X16	10	06	35.3	49.8	10	22
24291-06-08	11/16"X16	12	08	41	55	10	22
24291-08-06T	13/16"X16	10	06	35.3	39.8	11	27
24291-08-08	13/16"X16	12	08	41	57	11	27
24291-08-10	13/16"X16	16	10	56.5	61.5	11	27
24291-10-08T	1"X14	12	08	41	46	13.5	30
24291-10-10	1"X14	16	10	56.5	66	13.5	30
24291-10-12	1"X14	20	12	65.5	75.5	13.5	30
24291-12-10T	1.3/16"X12	16	10	56.5	51.5	15	36
24291-12-12	1.3/16"X12	20	12	65.5	77	15	36
24291-12-16	1.3/16"X12	25	16	76.7	83.5	15	36
24291-16-12T	1.7/16"X12	20	12	65.5	63	14.8	41
24291-16-14T	1.7/16"X12	22	14	71.2	63	14.8	41
24291-16-16T	1.7/16"X12	25	16	76.9	67.5	14.8	41
24291-16-20	1.7/16"X12	32	20	91.5	96	14.8	41
24291-20-16T	1.11/16"X12	25	16	76.7	67.5	15	50
24291-20-20W	1.11/16"X12	32	20	93	100	15	50
24291-20-24W	1.11/16"X12	40	24	109.4	113.5	15	50
24291-24-20T	2"X12	32	20	91.5	78.5	14.8	60
24291-24-24T	2"X12	40	24	109.4	92	14.8	60

注：1.表中代号用于编织软管。2.如需用于缠绕软管代号改为24292-XX-XX。
NOTE:1.For use with braided hoses. 2.If use with spiral hoses, hose fitting series number is 24292-XX-XX.

美制 JIC 内螺纹74°内锥面
JIC FEMALE 74°CONE SEAT (SAE J514)



26711




26711-T

代号 PART NO.	螺纹 E THREAD E	软管 HOSE BORE		尺寸 DIMENSIONS		
		公称内径DN	标号 DASH	A	C	S2
26711-04-03	7/16"X20	5	03	14.5	9	15
26711-04-04	7/16"X20	6	04	15	9	15
26711-05-04	1/2"X20	6	04	15.5	9.5	17
26711-05-05	1/2"X20	8	05	15.5	9.5	17
26711-05-06	1/2"X20	10	06	15.5	9.5	17
26711-06-04	9/16"X18	6	04	15.5	10.5	19
26711-06-05	9/16"X18	8	05	15.5	10.5	19
26711-06-06	9/16"X18	10	06	15.5	10.5	19
26711-06-08	9/16"X18	12	08	16	10.5	19
26711-08-06	3/4"X16	10	06	17.5	11	24
26711-08-08	3/4"X16	12	08	18	11	24
26711-08-10	3/4"X16	16	10	19.5	11	24
26711-10-08	7/8"X14	12	08	18.5	13	27
26711-10-10	7/8"X14	16	10	20	13	27
26711-10-12	7/8"X14	20	12	20	13	27
26711-12-08T	1.1/16"X12	12	08	19	15	32
26711-12-10	1.1/16"X12	16	10	21.5	15	32
26711-12-12	1.1/16"X12	20	12	21.5	15	32
26711-12-16	1.1/16"X12	25	16	23	15	32
26711-14-12	1.3/16"X12	20	12	21.5	15	36
26711-16-12T	1.5/16"X12	20	12	18.5	16	41
26711-16-16	1.5/16"X12	25	16	23	16	41
26711-16-20	1.5/16"X12	32	20	24	16	41
26711-20-16T	1.5/8"X12	25	16	23	17	50
26711-20-20W	1.5/8"X12	32	20	26	17	50
26711-24-20W	1.7/8"X12	32	20	26.5	20	55
26711-24-24W	1.7/8"X12	40	24	26.5	20	55
26711-32-24T	2.1/2"X12	40	24	27	23.5	75
26711-32-32T	2.1/2"X12	50	32	27	23.5	75

注：1.表中代号用于编织软管。2.如需用于缠绕软管代号改为26712-XX-XX。
NOTE:1.For use with braided hoses. 2.If use with spiral hoses, hose fitting series number is 26712-XX-XX.

美制JIC 内螺纹74°内锥面双六角
JIC FEMALE 74°CONE SEAT DOUBLE HEXAGON (SAE J514)




26711D

代号 PART NO.	螺纹 E THREAD E	软管 HOSE BORE		尺寸 DIMENSIONS			
		公称内径DN	标号 DASH	A	C	S1	S2
26711D-04-04	7/16"X20	6	04	20	9	15	15
26711D-05-04	1/2"X20	6	04	20.5	9.5	17	17
26711D-06-04	9/16"X18	6	04	21	10.5	19	19
26711D-06-06	9/16"X18	10	06	21	10.5	19	19
26711D-08-06	3/4"X16	10	06	25	11	24	24
26711D-08-08	3/4"X16	12	08	24.5	11	24	24
26711D-08-10	3/4"X16	16	10	25.5	11	24	24
26711D-10-08	7/8"X14	12	08	28	13	27	27
26711D-10-10	7/8"X14	16	10	29	13	27	27
26711D-12-12	1.1/16"X12	20	12	31.5	15	32	32
26711D-16-12	1.5/16"X12	20	12	33.5	16	41	41
26711D-16-16	1.5/16"X12	25	16	34.5	16	41	41
26711D-16-20	1.5/16"X12	32	20	36.5	16	41	41
26711D-20-20	1.7/16"X12	32	20	39	17	50	50

注：1.表中代号用于编织软管。 2.如需用于缠绕软管代号改为26712D-XX-XX。
NOTE:1.For use with braided hoses. 2.If use with spiral hoses, hose fitting series number is 26712D-XX-XX.

美制JIC 内螺纹74°内锥面双六角
JIC FEMALE 74°CONE SEAT DOUBLE HEXAGON (SAE J514)




26711D-SM


代号 PART NO.	螺纹 E THREAD E	软管 HOSE BORE		尺寸 DIMENSIONS			
		公称内径DN	标号 DASH	A	C	S1	S2
26711D-04-04SM	7/16"X20	6	04	20	9	12	15
26711D-05-04SM	1/2"X20	6	04	20.5	9.5	12	17
26711D-06-04SM	9/16"X18	6	04	21	10.5	14	19
26711D-06-06SM	9/16"X18	10	06	21	10.5	17	19
26711D-08-06SM	3/4"X16	10	06	23	11	19	24
26711D-08-08SM	3/4"X16	12	08	24.5	11	22	24
26711D-08-10SM	3/4"X16	16	10	25.5	11	22	24
26711D-10-08SM	7/8"X14	12	08	24	13	22	27
26711D-10-10SM	7/8"X14	16	10	27	13	22	27
26711D-12-12SM	1.1/16"X12	20	12	31.5	15	27	32
26711D-16-12SM	1.5/16"X12	20	12	31.5	16	32	41
26711D-16-16SM	1.5/16"X12	25	16	32.5	16	32	41
26711D-20-20SM	1.7/16"X12	32	20	37	17	41	50

注：1.表中代号用于编织软管。 2.如需用于缠绕软管代号改为26712D-XX-XXSM。
NOTE:1.For use with braided hoses. 2.If use with spiral hoses, hose fitting series number is 26712D-XX-XXSM.

45°美制 JIC 内螺纹74°内锥面
45°JIC FEMALE 74°CONE SEAT (SAE J514)



26741




22741-W


代号 PART NO.	螺纹 E THREAD E	软管 HOSE BORE		尺寸 DIMENSIONS			
		公称内径DN	标号 DASH	A	C	H	S2
26741-04-03	7/16"X20	5	03	37.6	9	17.2	15
26741-04-04	7/16"X20	6	04	40.2	9	18.1	15
26741-05-04	1/2"X20	6	04	40.5	9.5	18.5	17
26741-05-05	1/2"X20	8	05	42.7	9.5	19.3	17
26741-05-06	1/2"X20	10	06	44.6	9.5	20.3	17
26741-06-04	9/16"X18	6	04	40.5	10.5	18.5	19
26741-06-05	9/16"X18	8	05	42.7	10.5	19.3	19
26741-06-06	9/16"X18	10	06	44.3	10.5	20	19
26741-06-08	9/16"X18	12	08	56.8	10.5	21.9	19
26741-08-06	3/4"X16	10	06	45.7	11	21.4	24
26741-08-08	3/4"X16	12	08	58.6	11	23.5	24
26741-10-08	7/8"X14	12	08	58.9	13	24	27
26741-10-10	7/8"X14	16	10	70.1	13	25.3	27
26741-10-12	7/8"X14	20	12	77	13	28.9	27
26741-12-08	1.1/16"X12	12	08	60	15	25	32
26741-12-10	1.1/16"X12	16	10	71.2	15	26.4	32
26741-12-12	1.1/16"X12	20	12	77.4	15	30	32
26741-12-16	1.1/16"X12	25	16	85.3	15	31	32
26741-14-12	1.3/16"X12	20	12	77.4	15	30	36
26741-16-12	1.5/16"X12	20	12	77.4	16	30	41
26741-16-16	1.5/16"X12	25	16	85.7	16	31.5	41
26741-16-20	1.5/16"X12	32	20	96.3	16	35.5	41
26741-20-20W	1.5/8"X12	32	20	96.6	17	35.9	50
26741-24-20W	1.7/8"X12	32	20	100.8	20	40.1	55
26741-24-24W	1.7/8"X12	40	24	114.8	20	44.1	55
26741-32-32W	2.1/2"X12	50	32	135.9	23.5	51.6	75

注：1.表中代号用于编织软管。2.如需用于缠绕软管代号改为26742-XX-XX。
NOTE:1.For use with braided hoses. 2.If use with spiral hoses, hose fitting series number is 26742-XX-XX.

90°美制 JIC 内螺纹74°内锥面
90°JIC FEMALE 74°CONE SEAT (SAE J514)



26791




22791-W

代号 PART NO.	螺纹 E THREAD E	软管 HOSE BORE		尺寸 DIMENSIONS			
		公称内径DN	标号 DASH	A	C	H	S2
26791-04-03	7/16"X20	5	03	26.5	9	30.5	15
26791-04-04	7/16"X20	6	04	30	9	33.5	15
26791-05-04	1/2"X20	6	04	30	9.5	34	17
26791-05-05	1/2"X20	8	05	33	9.5	37	17
26791-05-06	1/2"X20	10	06	35.3	9.5	39.3	17
26791-06-04	9/16"X18	6	04	30	10.5	34	19
26791-06-05	9/16"X18	8	05	33	10.5	37	19
26791-06-06	9/16"X18	10	06	35.3	10.5	39.3	19
26791-06-08	9/16"X18	12	08	41	10.5	45.5	19
26791-08-06	3/4"X16	10	06	35.3	11	41.3	24
26791-08-08	3/4"X16	12	08	41	11	47	24
26791-08-10	3/4"X16	16	10	56.5	11	51.5	24
26791-10-08	7/8"X14	12	08	41	13	48	27
26791-10-10	7/8"X14	16	10	56.5	13	52.5	27
26791-10-12	7/8"X14	20	12	67	13	64	27
26791-12-08	1.1/16"X12	12	08	41	15	49.5	32
26791-12-10	1.1/16"X12	16	10	56.5	15	54	32
26791-12-12	1.1/16"X12	20	12	65.5	15	63.5	32
26791-12-16	1.1/16"X12	25	16	76.7	15	70	32
26791-14-12	1.3/16"X12	20	12	65.5	15	63.5	36
26791-16-12	1.5/16"X12	20	12	65.5	16	63.5	41
26791-16-16	1.5/16"X12	25	16	76.7	16	70	41
26791-16-20	1.5/16"X12	32	20	91.5	16	81	41
26791-20-20W	1.5/8"X12	32	20	91.5	17	80.5	50
26791-24-20W	1.7/8"X12	32	20	91.5	20	79.5	55
26791-24-24W	1.7/8"X12	40	24	109.4	20	94	55
26791-32-32W	2.1/2"X12	50	32	133.1	23.5	121.8	75

注：1.表中代号用于编织软管。2.如需用于缠绕软管代号改为26792-XX-XX。
NOTE:1.For use with braided hoses. 2.If use with spiral hoses, hose fitting series number is 26792-XX-XX.

90°美制短身 JIC 内螺纹74°内锥面
90°JIC COMPACT FEMALE 74°CONE SEAT (SAE J514)




26791K

代号 PART NO.	螺纹 E THREAD E	软管 HOSE BORE		尺寸 DIMENSIONS				
		公称内径DN	标号 DASH	A	C	H	S1	S2
26791K-04-04	7/16"X20	6	04	17.5	9	18	11	15
26791K-06-04	9/16"X18	6	04	19	10.5	21	14	19
26791K-06-06	9/16"X18	10	06	20	10.5	21	16	19
26791K-08-06	3/4"X16	10	06	23	11	25	19	24
26791K-08-08	3/4"X16	12	08	23.5	11	25	22	24
26791K-10-08	7/8"X14	12	08	23.5	13	27.5	22	27
26791K-10-10	7/8"X14	16	10	25	13	27.5	22	27
26791K-12-12	1.1/16"X12	20	12	27.5	15	30	27	32
26791K-16-16	1.5/16"X12	25	16	43	16	34.3	33	41

注：1.表中代号用于编织软管。 2.如需用于缠绕软管代号改为26792K-XX-XX。
NOTE:1.For use with braided hoses. 2.If use with spiral hoses, hose fitting series number is 26792K-XX-XX.

美制SAE 内螺纹 90° 内锥面
SAE FEMALE 90° CONE SEAT (SAE J513)




27811

代号 PART NO.	螺纹 E THREAD E	软管 HOSE BORE		尺寸 DIMENSIONS		
		公称内径DN	标号 DASH	A	C	S2
27811-04-03	7/16"X20	5	03	14	9	15
27811-04-04	7/16"X20	6	04	15	9	15
27811-05-05	1/2"X20	8	05	15.5	9.5	17
27811-06-04	5/8"X18	6	04	17	11.3	22
27811-06-05	5/8"X18	8	05	17	11.3	22
27811-06-06	5/8"X18	10	06	17	11.3	22
27811-08-08	3/4"X16	12	08	18	11	24
27811-10-08	7/8"X14	12	08	18.5	13	27
27811-10-10	7/8"X14	16	10	20	13	27
27811-12-12	1.1/16"X14	20	12	21.5	14.3	32

注：1.表中代号用于编织软管。 2.如需用于缠绕软管代号改为27812-XX-XX。
NOTE:1.For use with braided hoses. 2.If use with spiral hoses, hose fitting series number is 27812-XX-XX.

45° 美制SAE 内螺纹90° 内锥面
45° SAE FEMALE 90° CONE SEAT (SAE J513)




27841

代号 PART NO.	螺纹 E THREAD E	软管 HOSE BORE		尺寸 DIMENSIONS			
		公称内径DN	标号 DASH	A	C	S1	S2
27841-04-03	7/16"X20	5	03	37.6	9	17.2	15
27841-06-04	5/8"X18	6	04	42	11.3	19.9	22
27841-06-05	5/8"X18	8	05	44.1	11.3	20.7	22
27841-06-06	5/8"X18	10	06	45.7	11.3	21.4	22
27841-08-08	3/4"X16	12	08	58.2	11	23.3	24
27841-10-08	7/8"X14	12	08	58.2	13	23.3	27
27841-10-10	7/8"X14	16	10	69.4	13	24.6	27
27841-12-12	1.1/16"X14	20	12	77.4	14.3	30	32

注：1.表中代号用于编织软管。 2.如需用于缠绕软管代号改为27842-XX-XX。
NOTE:1.For use with braided hoses. 2.If use with spiral hoses, hose fitting series number is 27842-XX-XX.

90° 美制SAE 内螺纹90° 内锥面
90° SAE FEMALE 90° CONE SEAT (SAE J513)




27891


代号 PART NO.	螺纹 E THREAD E	软管 HOSE BORE		尺寸 DIMENSIONS			
		公称内径DN	标号 DASH	A	C	S1	S2
27891-04-03	7/16"X20	5	03	26.5	9	30.5	16
27891-06-04	5/8"X18	6	04	30	11.3	36	22
27891-06-05	5/8"X18	8	05	33	11.3	39	22
27891-06-06	5/8"X18	10	06	35.3	11.3	41.3	22
27891-10-08	7/8"X14	12	08	41	13	47	27
27891-10-10	7/8"X14	16	10	56.5	13	51.5	27
27891-12-12	1.1/16"X14	20	12	65.5	14.3	63.5	32

注：1.表中代号用于编织软管。 2.如需用于缠绕软管代号改为27892-XX-XX。
NOTE:1.For use with braided hoses. 2.If use with spiral hoses, hose fitting series number is 27892-XX-XX.

日本公制内螺纹 60° 内锥面
JIS METRIC FEMALE 60° CONE SEAT



28611




28611-W


代号 PART NO.	螺纹 E THREAD E	软管 HOSE BORE		尺寸 DIMENSIONS			
		公称内径DN	标号 DASH	A	C	S1	S2
28611-12-04	M12X1.5	6	04	20	9	17	17
28611-14-04	M14X1.5	6	04	21	10.5	19	19
28611-14-06	M14X1.5	10	06	21	10.5	19	19
28611-16-04	M16X1.5	6	04	24	10	22	22
28611-16-05	M16X1.5	8	05	24	10	22	22
28611-16-06	M16X1.5	10	06	24	10	22	22
28611-18-06	M18X1.5	10	06	25	11.5	24	24
28611-18-08	M18X1.5	12	08	24.5	11.5	24	24
28611-20-08	M20X1.5	12	08	28.5	12	27	27
28611-22-08	M22X1.5	12	08	25.5	14	27	27
28611-24-08	M24X1.5	12	08	27.5	15	32	32
28611-24-10	M24X1.5	16	10	28.5	15	32	32
28611-27-10	M27X1.5	16	10	28.5	10	32	32
28611-30-12	M30X1.5	20	12	28.5	18.3	36	36
28611-33-12	M33X1.5	20	12	31	21.3	41	41
28611-33-16	M33X1.5	25	16	32	21.3	41	41
28611-36-20	M36X1.5	32	20	35.5	20	46	46
28611-42-24W	M42X1.5	40	24	36	18.8	55	55

注：1.表中代号用于编织软管。 2.如需用于缠绕软管代号改为28612-XX-XX。
NOTE:1.For use with braided hoses. 2.If use with spiral hoses, hose fitting series number is 28612-XX-XX.

45°日本公制内螺纹 60°内锥面
45°JIS METRIC FEMALE 60°CONE SEAT



28641




28641-W


代号 PART NO.	螺纹 E THREAD E	软管 HOSE BORE		尺寸 DIMENSIONS				
		公称内径DN	标号 DASH	A	C	H	S1	S2
28641-14-04	M14X1.5	6	04	43.4	10.5	21.3	19	19
28641-16-05	M16X1.5	8	05	47.6	10	24.3	22	22
28641-18-06	M18X1.5	10	06	49.2	11.5	24.9	24	24
28641-22-08	M22X1.5	12	08	62.1	14	27.2	27	27
28641-24-10	M24X1.5	16	10	74.7	15	29.9	32	32
28641-30-12	M30X1.5	20	12	80.9	18.3	33.5	36	36
28641-33-16	M33X1.5	25	16	89.9	21.3	35.7	41	41
28641-36-20	M36X1.5	32	20	104.1	20	41.9	46	46
28641-42-24W	M42X1.5	40	24	116.2	18.8	45.5	50	55

注：1.表中代号用于编织软管。 2.如需用于缠绕软管代号改为28642-XX-XX。
NOTE:1.For use with braided hoses. 2.If use with spiral hoses, hose fitting series number is 28642-XX-XX.

90°日本公制内螺纹 60°内锥面
90°JIS METRIC FEMALE 60°CONE SEAT



28691





28691-W

代号 PART NO.	螺纹 E THREAD E	软管 HOSE BORE		尺寸 DIMENSIONS				
		公称内径DN	标号 DASH	A	C	H	S1	S2
28691-14-04	M14X1.5	6	04	30	10.5	38	19	19
28691-14-06	M14X1.5	10	06	35.5	10.5	43.3	19	19
28691-16-05	M16X1.5	8	05	33	10	44	22	22
28691-18-06	M18X1.5	10	06	35.3	11.5	46.3	24	24
28691-22-08	M22X1.5	12	08	41	14	52.5	27	27
28691-24-10	M24X1.5	16	10	56.5	15	59	32	32
28691-30-12	M30X1.5	20	12	65.5	18.3	68.5	36	36
28691-33-16	M33X1.5	25	16	76.7	21.3	76	41	41
28691-36-20	M36X1.5	32	20	93	20	90	46	46
28691-42-24W	M42X1.5	40	24	109.4	18.8	103	55	55

注：1.表中代号用于编织软管。 2.如需用于缠绕软管代号改为28692-XX-XX。
NOTE:1.For use with braided hoses. 2.If use with spiral hoses, hose fitting series number is 28692-XX-XX.



日本英制内螺纹 60° 内锥面
JIS GAS FEMALE 60° CONE SEAT (JIS B8363)



代号 PART NO.	螺纹 E THREAD E	软管 HOSE BORE		尺寸 DIMENSIONS			
		公称内径DN	标号 DASH	A	C	S1	S2
29611-02-03	G1/8"X28	5	03	20	7	14	14
29611-04-04	G1/4"X19	6	04	21	8	19	19
29611-04-05	G1/4"X19	8	05	21	8	19	19
29611-06-04	G3/8"X19	6	04	24	9	22	22
29611-06-06	G3/8"X19	10	06	23	9	22	22
29611-08-06	G1/2"X14	10	06	28	12	27	27
29611-08-08	G1/2"X14	12	08	26.5	12	27	27
29611-10-10	G5/8"X14	16	10	31	11.5	30	30
29611-12-10	G3/4"X14	16	10	28.5	13.5	32	32
29611-12-12	G3/4"X14	20	12	28.5	13.5	32	32
29611-16-16	G1"X11	25	16	32	16	41	41
29611-20-20W	G1.1/4"X11	32	20	43	18.5	50	50
29611-24-24W	G1.1/2"X11	40	24	43.5	19	55	55
29611-32-32W	G2"X11	50	32	46.5	23	70	70

注：1.表中代号用于编织软管。 2.如需用于缠绕软管代号改为29612-XX-XX。
NOTE:1.For use with braided hoses. 2.If use with spiral hoses, hose fitting series number is 29612-XX-XX.


45° 日本英管内螺纹 60° 内锥面
45° JIS GAS FEMALE 60° CONE SEAT (JIS B8363)




代号 PART NO.	螺纹 E THREAD E	软管 HOSE BORE		尺寸 DIMENSIONS				
		公称内径DN	标号 DASH	A	C	H	S1	S2
29641-04-04	G1/4"X19	6	04	43.4	8	21.3	19	19
29641-06-06	G3/8"X19	10	06	48.9	9	24.6	22	22
29641-08-08	G1/2"X14	12	08	62.5	12	27.5	27	27
29641-12-12	G3/4"X14	20	12	81.3	13.5	33.9	32	32
29641-16-16	G1"X11	25	16	87.3	16	36	41	41
29641-20-20W	G1.1/4"X11	32	20	107.3	18.5	46.5	50	50
29641-24-24W	G1.1/2"X11	40	24	122.8	19	50.8	55	55
29641-32-32W	G2"X11	50	32	143	23	60	70	70

注：1.表中代号用于编织软管。 2.如需用于缠绕软管代号改为29642-XX-XX。
NOTE:1.For use with braided hoses. 2.If use with spiral hoses, hose fitting series number is 29642-XX-XX.

90°日本英管内螺纹 60°内锥面
90°JIS GAS FEMALE 60°CONE SEAT (JIS B8363)



29691




29691-W

代号 PART NO.	螺纹 E THREAD E	软管 HOSE BORE		尺寸 DIMENSIONS				
		公称内径DN	标号 DASH	A	C	H	S1	S2
29691-04-04	G1/4"X19	6	04	30	8	38	19	19
29691-04-05	G1/4"X19	8	05	33	8	41	19	19
29691-06-06	G3/8"X19	10	06	35.3	9	45.8	22	22
29691-08-08	G1/2"X14	12	08	41	12	53	27	27
29691-10-10	G5/8"X14	16	10	56.5	11.5	61	30	30
29691-12-12	G3/4"X14	20	12	65.5	13.5	69	32	32
29691-16-16	G1"X11	25	16	76.7	16	76.5	41	41
29691-20-20W	G1.1/4"X11	32	20	91.5	18.5	92.5	50	50
29691-24-24W	G1.1/2"X11	40	24	109.4	19	110.5	55	55
29691-32-32W	G2"X11	50	32	131.8	23	133.8	70	70

注：1.表中代号用于编织软管。2.如需用于缠绕软管代号改为29692-XX-XX。
NOTE:1.For use with braided hoses. 2.If use with spiral hoses, hose fitting series number is 29692-XX-XX.

插入式焊接软管接头
SOCKET WELD HOSE FITTING




40011

代号 PART NO.	管子外径D TUBE O.D.	软管 HOSE BORE		尺寸 DIMENSIONS	
		公称内径DN	标号 DASH	A	B
40011-08-04	8	6	6	14.5	5
40011-09-04	9	6	6	14.5	5
40011-10-04	10	6	6	14.5	5
40011-10-05	10	8	8	12.5	5
40011-13-05	13	8	8	15	5
40011-15-06	15	10	10	15.5	5
40011-16-08	16	12	12	14	5
40011-20-08	20	12	12	16.5	5
20011-22-10	22	16	16	18	5

注：1.表中代号用于编织软管。2.如需用于缠绕软管代号改为40012-XX-XX。
NOTE:1.For use with braided hoses. 2.If use with spiral hoses, hose fitting series number is 40012-XX-XX.

C

公制卡套式直管
METRIC STANDPIPE STRAIGHT (DIN 2353)




50011

代号 PART NO.	管子外径D TUBE O.D.	软管 HOSE BORE		尺寸 DIMENSIONS		备注 NOTE
		公称内径DN	标号 DASH	A	C	
50011-06-03	6	5	03	28.5	22	轻 系 列
50011-06-04	6	6	04	29	22	
50011-10-05	10	8	05	31	23	
50011-10-06	10	10	06	32	23	
50011-12-06	12	10	06	33.5	23	
50011-12-08	12	12	08	33	23	
50011-15-06	15	10	06	35.5	25	
50011-15-08	15	12	08	35.5	25	
50011-18-08	18	12	08	36.5	26	
50011-18-10	18	16	10	41	26	
50011-22-10	22	16	10	44	28	
50011-22-12	22	20	12	44	28	
50011-22-16	22	25	16	46	28	
50011-28-16	28	25	16	47	30	
50011-35-20	35	32	20	56	36	重 系 列
50011-42-24	42	40	24	62	40	
50011-08-04	8	6	04	31	24	
50011-08-05	8	8	05	33	24	
50011-08-06	8	10	06	33	24	
50011-10-04	10	6	04	35	26	
50011-12-04	12	6	04	34.5	26	
50011-12-05	12	8	05	35.5	26	
50011-14-06	14	10	06	39.5	29	
50011-14-08	14	12	08	40	29	
50011-14-12	14	20	12	45.5	29	
50011-16-08	16	12	08	41	30	
50011-16-10	16	16	10	45.5	30	
50011-20-10	20	16	10	52.5	36	
50011-20-12	20	20	12	52.5	36	
50011-25-12	25	20	12	56	40	
50011-25-16	25	25	16	57	40	
50011-30-16	30	25	16	63	44	
50011-30-20	30	32	20	64	44	
50011-38-16	38	25	16	69	50	
50011-38-20	38	32	20	70	50	

注：1.表中代号用于编织软管。 2.如需用于缠绕软管代号改为50012-XX-XX。
NOTE:1.For use with braided hoses. 2.If use with spiral hoses, hose fitting series number is 50012-XX-XX.

45° 公制卡套式直管
45° METRIC STANDPIPE STRAIGHT




代号 PART NO.	管子外径D TUBE O.D.	软管 HOSE BORE		尺寸 DIMENSIONS			备注 NOTE
		公称内径DN	标号 DASH	A	C	H	
50041-06-03	6	5	03	47.8	22	27.5	轻 系 列
50041-06-04	6	6	04	52.2	22	30.1	
50041-08-05	8	8	05	55.7	24	32.4	
50041-08-06	8	10	06	57.9	24	33.1	
50041-10-05	10	8	05	54	23	30.6	
50041-10-06	10	10	06	56.1	23	31.3	
50041-12-06	12	10	06	58.5	23	34.5	
50041-12-08	12	12	08	72.4	23	37.4	
50041-15-06	15	10	06	59.3	25	34.5	
50041-15-08	15	12	08	70.6	25	35.7	
50041-18-08	18	12	08	73.4	26	38.5	
50041-18-10	18	16	10	84.6	26	39.8	
50041-22-10	22	16	10	87.1	28	42.3	
50041-22-12	22	20	12	39.3	28	45.9	
50041-22-16	22	24	16	100.9	28	46.7	
50041-28-16	28	24	16	103.7	30	49.5	重 系 列
50041-35-20	35	32	20	118.5	36	57.8	
50041-08-04	8	6	04	53.6	24	31.5	
50041-10-04	10	6	04	54	26	31.9	
50041-12-04	12	6	04	57.1	26	35.1	
50041-12-05	12	8	05	59.2	26+	35.9	
50041-14-06	14	10	06	61.6	29	37.3	
50041-14-08	14	12	08	73.8	29	38.8	
50041-14-12	14	20	12	91.9	29	43.8	
50041-16-08	16	12	08	76.6	30	41.7	
50041-16-10	16	16	10	87.8	30	43	
50041-20-10	20	16	10	92.8	36	48	
50041-20-12	20	20	12	110.7	36	52.6	
50041-25-12	25	20	12	101.8	40	54.5	
50041-25-16	25	25	16	109.4	40	55.2	
50041-30-16	30	25	16	113.6	44	59.4	
50041-30-20	30	32	20	124.2	44	63.5	
50041-38-16	38	25	16	117.9	50	63.6	
50041-38-20	38	32	20	128.4	50	67.7	

注：1.表中代号用于编织软管。2.如需用于缠绕软管代号改为50042-XX-XX。
NOTE:1.For use with braided hoses. 2.If use with spiral hoses, hose fitting series number is 50042-XX-XX.

C


90° 公制卡套式直管
90° METRIC STANDPIPE STRAIGHT (DIN 2353)



代号 PART NO.	管子外径D TUBE O.D.	软管 HOSE BORE		尺寸 DIMENSIONS			备注 NOTE
		公称内径DN	标号 DASH	A	C	H	
50091-06-03	6	5	03	26.5	22	45	轻 系 列
50091-06-04	6	6	04	30	22	48	
50091-08-05	8	8	05	34	24	55.5	
50091-08-06	8	10	06	35.8	24	57.8	
50091-10-05	10	8	05	34	23	53	
50091-10-06	10	10	06	35.3	23	55.3	
50091-12-06	12	10	06	35.3	23	59.8	
50091-12-08	12	12	08	41	23	67	
50091-15-06	15	10	06	35.8	25	59.8	
50091-15-08	15	12	08	41	25	65	
50091-18-08	18	12	08	41	26	68.5	
50091-18-10	18	16	10	56.5	26	73	
50091-22-10	22	16	10	56.5	28	76.5	
50091-22-12	22	20	12	65.5	28	86	
50091-22-16	22	25	16	76.7	28	91.5	
50091-28-16	28	25	16	76.7	30	95.5	重 系 列
50091-35-20	35	32	20	91.5	36	112.5	
50091-08-04	8	6	04	30	24	52.5	
50091-10-04	10	6	04	30	26	53	
50091-12-04	12	6	04	30	26	57.5	
50091-12-05	12	8	05	33	26	60.5	
50091-14-06	14	10	06	35.3	29	63.8	
50091-14-08	14	12	08	41	29	69	
50091-14-12	14	20	12	66.2	29	83	
50091-16-08	16	12	08	42	30	73	
50091-16-10	16	16	10	56.5	30	77.5	
50091-20-10	20	16	10	56.5	36	84.5	
50091-20-12	20	20	12	65.5	36	95.5	
50091-25-12	25	20	12	65.5	40	98	
50091-25-16	25	25	16	76.7	40	103.5	
50091-30-16	30	25	16	78	40	109.5	
50091-30-20	30	32	20	91.5	44	120.5	
50091-38-16	38	25	16	76.7	50	115.5	
50091-38-20	38	32	20	91.5	50	126.5	

注：1.表中代号用于编织软管。2.如需用于缠绕软管代号改为50092-XX-XX。
NOTE:1.For use with braided hoses. 2.If use with spiral hoses, hose fitting series number is 50092-XX-XX.

煤炭部标准矿用接头
MT STAPLE-LOK MALE




60011

代号 PART NO.	软管 HOSE BORE		尺寸 DIMENSIONS			
	公称内径DN	标号 DASH	A	C	J	K
60011-04-04	6	04	31	25	15	11
60011-05-05	8	05	33.5	26	18	13
60011-06-06	10	06	33	26	18	15
60011-08-06	10	06	33.5	26	22	18
60011-08-08	12	08	34	26	22	18
60011-10-10	16	10	39	30	25	20
60011-12-12	20	12	40.5	31	28	24
60011-16-14	22	14	41	31	35	30
60011-16-16	25	16	42	31	35	30

注：1.表中代号用于编织软管。 2.如需用于缠绕软管代号改为60012-XX-XX。
NOTE:1.For use with braided hoses. 2.If use with spiral hoses, hose fitting series number is 60012-XX-XX.

SAE标准矿用接头
SAE STAPLE-LOK MALE (SAE J1467)




67011

代号 PART NO.	软管 HOSE BORE		O形圈 O RING	尺寸 DIMENSIONS			
	公称内径DN	标号 DASH		A	C	J	K
67011-04-04	6	04	O06.0X2.0	34	28	14.9	9.9
67011-06-06	10	06	O10.0X2.0	35	28	19.9	13.9
67011-08-08	12	08	O13.0X2.5	36	28	23.9	17.9
67011-12-12	20	12	O19.0X2.5	37.5	28	28.9	23.9
67011-16-16	25	16	O25.0X2.5	44	33	38.8	30.9
67011-20-20	32	20	O33.0X2.5	44	33	45.9	37.9
67011-24-24	40	24	O40.0X3.0	47.5	36.3	54.9	46.9
67011-32-32	50	32	O50.0X3.0	47.5	36.3	63.9	55.9

注：1.表中代号用于编织软管。 2.如需用于缠绕软管代号改为67012-XX-XX。
NOTE:1.For use with braided hoses. 2.If use with spiral hoses, hose fitting series number is 67012-XX-XX.

公制铰接体
METRIC BANJO (DIN 7642)




70011

代号 PART NO.	螺栓 BOLT	软管 HOSE BORE		尺寸 DIMENSIONS			
		公称内径DN	标号 DASH	A	d	D	H
70011-10-03	M10X1	5	03	14.5	10.1	17	10
70011-10-04	M10X1	6	04	17	10.1	17	10
70011-12-04	M12X1.5	6	04	20.5	12.1	20	12
70011-12-05	M12X1.5	8	05	20.5	12.1	20	12
70011-12-06	M12X1.5	10	06	20.5	12.1	20	12
70011-14-04	M14X1.5	6	04	21	14.1	24	14
70011-14-05	M14X1.5	8	05	21	14.1	24	14
70011-14-06	M14X1.5	10	06	21	14.1	24	14
70011-16-04	M16X1.5	6	04	20.5	16.1	28	16
70011-16-05	M16X1.5	8	05	20.5	16.1	28	16
70011-16-06	M16X1.5	10	06	20.5	16.1	28	16
70011-18-04	M18X1.5	6	04	23	18.1	32	20
70011-18-05	M18X1.5	8	05	24	18.1	32	20
70011-18-06	M18X1.5	10	06	24	18.1	32	20
70011-18-08	M18X1.5	12	08	24.5	18.1	32	20
70011-22-06	M22X1.5	10	06	28.1	22.1	39	25
70011-22-08	M22X1.5	12	08	28.5	22.1	39	25
70011-22-10	M22X1.5	16	10	28	22.1	39	25
70011-26-12	M26X1.5	20	12	32.5	26.1	46	30
70011-30-16	M30X1.5	25	16	37	30.1	54	36
70011-30-20	M30X1.5	32	20	40	30.1	54	36

注：1.表中代号用于编织软管。2.如需用于缠绕软管代号改为70012-XX-XX。
NOTE:1.For use with braided hoses. 2.If use with spiral hoses, hose fitting series number is 70012-XX-XX.


公制铰接螺栓
METRIC BOLT (DIN 7643)



700M

代号 PART NO.	螺纹 E THREAD E	尺寸 DIMENSIONS			
		A	B	C	S1
700M-10	M10X1	19	5.5	6	14
700M-12	M12X1.5	24	7	6	17
700M-14	M14X1.5	26	9	6	19
700M-16	M16X1.5	28	11	6	22
700M-18	M18X1.5	32	13	6	24
700M-22	M22X1.5	39	16	7	27
700M-26	M26X1.5	45	20	7	32
700M-30	M30X1.5	51	24	7	36

英制铰接体
BSP BANJO




72011

代号 PART NO.	螺纹 E THREAD E	软管 HOSE BORE		尺寸 DIMENSIONS			
		公称内径DN	标号 DASH	A	d	D	H
72011-02-03	G1/8"X28	5	03	18	9.9	22	16
72011-02-04	G1/8"X28	6	04	18.5	9.9	22	16
72011-04-03	G1/4"X19	5	03	19	13.3	24	15
72011-04-04	G1/4"X19	6	04	19.5	13.3	24	15
72011-04-05	G1/4"X19	8	05	19.5	13.3	24	15
72011-04-06	G1/4"X19	10	06	19.5	13.3	24	15
72011-06-04	G3/8"X19	6	04	22	16.7	29	20
72011-06-05	G3/8"X19	8	05	22	16.7	29	20
72011-06-06	G3/8"X19	10	06	22	16.7	29	20
72011-06-08	G3/8"X19	12	08	23	16.7	29	20
72011-08-05	G1/2"X14	8	05	27.5	21	38	25
72011-08-06	G1/2"X14	10	06	27.5	21	38	25
72011-08-08	G1/2"X14	12	08	28	21	38	25
72011-08-10	G1/2"X14	16	10	29	21	38	25
72011-10-10	G5/8"X14	16	10	28	23	40	27
72011-12-10	G3/4"X14	16	10	32	26.5	48	31
72011-12-12	G3/4"X14	20	12	32	26.5	48	31
72011-16-08	G1"X11	12	08	40	33.3	60	42
72011-16-12	G1"X11	20	12	40	33.3	60	42
72011-16-16	G1"X11	25	16	41	33.3	60	42

注：1.表中代号用于编织软管。 2.如需用于缠绕软管代号改为72012-XX-XX。
NOTE:1.For use with braided hoses. 2.If use with spiral hoses, hose fitting series number is 72012-XX-XX.


英制铰接螺栓
BSP BOLT



720B

代号 PART NO.	螺纹 E THREAD E	尺寸 DIMENSIONS			
		A	B	C	S1
720B-02	G1/8"X28	29.5	4.8	4.8	14
720B-04	G1/4"X19	28.5	6	6	19
720B-06	G3/8"X19	38.5	9	7	22
720B-08	G1/2"X14	44	13	8.5	27
720B-10	G5/8"X14	48.5	15	10	30
720B-12	G3/4"X14	56	18	10	32
720B-16	G1"X11	68.5	22	13	41

SAE 法兰 3000 PSI
SAE FLANGE 3000 PSI (ISO 12151-3--SAE J516)




87311

代号 PART NO.	法兰型号 FLANGE SIZE	软管 HOSE BORE		尺寸 DIMENSIONS			
		公称内径DN	标号 DASH	A	C	D	L
87311-08-08	1/2"	12	08	46	30.2	24	6.73
87311-12-08	3/4"	12	08	47	38.1	31.7	6.73
87311-12-10	3/4"	16	10	48	38.1	31.7	6.73
87311-12-12	3/4"	20	12	48	38.1	31.7	6.73
87311-12-16	3/4"	25	16	49	38.1	31.7	6.73
87311-16-12	1"	20	12	51	44.4	38	8
87311-16-16	1"	25	16	52	44.4	38	8
87311-16-20	1"	32	20	53	44.4	38	8
87311-20-16	1.1/4"	25	16	57	50.8	43	8
87311-20-20	1.1/4"	32	20	58	50.8	43	8
87311-24-20	1.1/2"	32	20	68	60.3	50	8
87311-24-24	1.1/2"	40	24	68	60.3	50	8
87311-32-24	2"	40	24	70	71.4	62	9.53
87311-32-32	2"	50	32	70	71.4	62	9.53
87311-40-40	2.1/2"	64	40	76	84.1	74	9.53

注：1.表中代号用于编织软管。2.如需用于缠绕软管代号改为87312-XX-XX。
NOTE:1.For use with braided hoses. 2.If use with spiral hoses, hose fitting series number is 87312-XX-XX.

45°SAE 法兰 3000 PSI
45°SAE FLANGE 3000 PSI (ISO 12151-3--SAE J516)




87341

代号 PART NO.	法兰型号 FLANGE SIZE	软管 HOSE BORE		尺寸 DIMENSIONS				
		公称内径DN	标号 DASH	A	C	D	H	L
87341-08-08	1/2"	12	08	58.2	30.2	24	23.3	6.73
87341-12-08	3/4"	12	08	58.9	38.1	31.7	24	6.73
87341-12-10	3/4"	16	10	70.1	38.1	31.7	25.3	6.73
87341-12-12	3/4"	20	12	77	38.1	31.7	28.9	6.73
87341-16-12	1"	20	12	77	44.4	38	28.9	8
87341-16-16	1"	25	16	85.2	44.4	38	29.7	8
87341-16-20	1"	32	20	94.5	44.4	38	33.8	8
87341-20-16	1.1/4"	25	16	85.2	50.8	43	29.7	8
87341-20-20	1.1/4"	32	20	94.5	50.8	43	33.8	8
87341-24-20	1.1/2"	32	20	95.9	60.3	50	35.2	8
87341-24-24	1.1/2"	40	24	109.9	60.3	50	39.1	8
87341-32-24	2"	40	24	109.9	71.4	62	39.1	9.53
87341-32-32	2"	50	32	129.3	71.4	62	46.3	9.53

注：1.表中代号用于编织软管。2.如需用于缠绕软管代号改为87342-XX-XX。
NOTE:1.For use with braided hoses. 2.If use with spiral hoses, hose fitting series number is 87342-XX-XX.

90°SAE 法兰 3000 PSI
90°SAE FLANGE 3000 PSI (ISO 12151-3--SAE J516)




87391

代号 PART NO.	法兰型号 FLANGE SIZE	软管 HOSE BORE		尺寸 DIMENSIONS				
		公称内径DN	标号 DASH	A	C	D	H	L
87391-08-08	1/2"	12	08	41	30.2	24	47	6.73
87391-12-08	3/4"	12	08	41	38.1	31.7	48	6.73
87391-12-10	3/4"	16	10	56	38.1	31.7	52.5	6.73
87391-12-12	3/4"	20	12	66.2	38.1	31.7	62	6.73
87391-12-16	3/4"	25	16	76.7	38.1	31.7	67.5	6.73
87391-16-12	1"	20	12	65.5	44.4	38	62	8
87391-16-16	1"	25	16	76.7	44.4	38	67.5	8
87391-16-20	1"	32	20	91.5	44.4	38	78.5	8
87391-20-16	1.1/4"	25	16	76.7	50.8	43	67.5	8
87391-20-20	1.1/4"	32	20	91.5	50.8	43	78.5	8
87391-20-24	1.1/4"	40	24	107	50.8	43	78.5	8
87391-24-20	1.1/2"	32	20	91.5	60.3	50	80.5	8
87391-24-24	1.1/2"	40	24	109.4	60.3	50	94	8
87391-32-24	2"	40	24	109.4	71.4	62	94	9.53
87391-32-32	2"	50	32	131.8	71.4	62	114.3	9.53
87391-40-32	2.1/2"	50	32	131.8	84.1	74.4	116.3	9.53

注：1.表中代号用于编织软管。2.如需用于缠绕软管代号改为87392-XX-XX。
NOTE:1.For use with braided hoses. 2.If use with spiral hoses, hose fitting series number is 87392-XX-XX.

SAE 法兰 6000 PSI
SAE FLANGE 6000 PSI (ISO 12151-3--SAE J516)




87611

代号 PART NO.	法兰型号 FLANGE SIZE	软管 HOSE BORE		尺寸 DIMENSIONS			
		公称内径DN	标号 DASH	A	C	D	L
87611-08-08	1/2"	12	08	47	31.7	24	7.75
87611-12-10	3/4"	16	10	51	41.3	32	8.76
87611-12-12	3/4"	20	12	51	41.3	32	8.76
87611-16-12	1"	20	12	56	47.6	38	9.53
87611-16-16	1"	25	16	57	47.6	38	9.53
87611-16-20	1"	32	20	61	47.6	38	9.53
87611-20-16	1.1/4"	25	16	65	54	44	10.29
87611-20-20	1.1/4"	32	20	66	54	44	10.29
87611-24-20	1.1/2"	32	20	75	63.5	51	12.57
87611-24-24	1.1/2"	40	24	75	63.5	51	12.57
87611-32-24	2"	40	24	85	79.4	67	12.57
87911-32-32	2"	50	32	85	79.4	67	12.57

注：1.表中代号用于编织软管。2.如需用于缠绕软管代号改为87612-XX-XX。
NOTE:1.For use with braided hoses. 2.If use with spiral hoses, hose fitting series number is 87612-XX-XX.


45°SAE 法兰 6000 PSI
45°SAE FLANGE 6000 PSI (ISO 12151-3--SAE J516)



代号 PART NO.	法兰型号 FLANGE SIZE	软管 HOSE BORE		尺寸 DIMENSIONS				
		公称内径DN	标号 DASH	A	C	D	H	L
87641-08-08	1/2"	12	08	58.9	31.7	24	24	7.75
87641-08-12	1/2"	20	12	74.9	31.7	24	27.5	7.75
87641-12-10	3/4"	16	10	72.5	41.3	32	28.2	8.76
87641-12-12	3/4"	20	12	79.2	41.3	32	31.8	8.76
87641-16-16	1"	25	16	90.2	47.6	38	34.7	9.53
87641-20-20	1.1/4"	32	20	103.8	54	44	41.5	10.29
87641-24-20	1.1/2"	32	20	105.8	63.5	51	45.1	12.57
87641-24-24	1.1/2"	40	24	116.2	63.5	51	45.5	12.57
87641-32-24	2"	40	24	125.4	79.4	67	54.7	12.57
87911-32-32	2"	50	32	135.7	79.4	67	52.7	12.57

注：1.表中代号用于编织软管。 2.如需用于缠绕软管代号改为87612-XX-XX。
NOTE:1.For use with braided hoses. 2.If use with spiral hoses, hose fitting series number is 87612-XX-XX.


90°SAE 法兰 6000 PSI
90°SAE FLANGE 6000 PSI (ISO 12151-3--SAE J516)



代号 PART NO.	法兰型号 FLANGE SIZE	软管 HOSE BORE		尺寸 DIMENSIONS				
		公称内径DN	标号 DASH	A	C	D	H	L
87691-08-08	1/2"	12	08	41	31.7	24	48	7.75
87691-12-10	3/4"	16	10	56.5	41.3	32	56.5	8.76
87691-12-12	3/4"	20	12	66.2	41.3	32	66	8.76
87691-16-12	1"	20	12	66.2	47.6	38	69	9.53
87691-16-16	1"	25	16	78	47.6	38	74.5	9.53
87691-16-20	1"	32	20	91.5	47.6	38	85.5	9.53
87691-20-16	1.1/4"	25	16	78	54	44	78.5	10.29
87691-20-20	1.1/4"	32	20	91.5	54	44	89.5	10.29
87691-24-20	1.1/2"	32	20	91.5	63.5	51	94.5	12.57
87691-24-24	1.1/2"	40	24	109.4	63.5	51	108	12.57
87691-32-24	2"	40	24	109.4	79.4	67	116	12.57
87691-32-32	2"	50	32	131.8	79.4	67	136.3	12.57

注：1.表中代号用于编织软管。 2.如需用于缠绕软管代号改为87692-XX-XX。
NOTE:1.For use with braided hoses. 2.If use with spiral hoses, hose fitting series number is 87692-XX-XX.

日制法兰
JIS FLANGE




88111

代号 PART NO.	法兰型号 FLANGE SIZE	软管 HOSE BORE		尺寸 DIMENSIONS			
		公称内径DN	标号 DASH	A	C	D	L
88111-10-08	5/8"	12	08	45	34.2	27.8	6.7
88111-10-10	5/8"	16	10	46	34.2	27.8	6.7
88111-10-12	5/8"	20	12	46	34.2	27.8	6.7

注：1.表中代号用于编织软管。 2.如需用于缠绕软管代号改为88112-XX-XX。
NOTE:1.For use with braided hoses. 2.If use with spiral hoses, hose fitting series number is 88112-XX-XX.

45°日制法兰
45°JIS FLANGE




88141

代号 PART NO.	法兰型号 FLANGE SIZE	软管 HOSE BORE		尺寸 DIMENSIONS				
		公称内径DN	标号 DASH	A	C	D	H	L
88141-10-08	5/8"	12	08	58.9	34.2	27.8	24	6.7
88141-10-10	5/8"	16	10	70.1	34.2	27.8	25.3	6.7
88141-10-12	5/8"	20	12	76.2	34.2	27.8	28.8	6.7

注：1.表中代号用于编织软管。 2.如需用于缠绕软管代号改为88142-XX-XX。
NOTE:1.For use with braided hoses. 2.If use with spiral hoses, hose fitting series number is 88142-XX-XX.

90°日制法兰
90°JIS FLANGE




88191

代号 PART NO.	法兰型号 FLANGE SIZE	软管 HOSE BORE		尺寸 DIMENSIONS				
		公称内径DN	标号 DASH	A	C	D	H	L
88191-10-08	5/8"	12	08	41	34.2	27.8	48	6.7
88191-10-10	5/8"	16	10	56.5	34.2	27.8	52.5	6.7
88191-10-12	5/8"	20	12	65.5	34.2	27.8	62	6.7

注：1.表中代号用于编织软管。 2.如需用于缠绕软管代号改为88192-XX-XX。
NOTE:1.For use with braided hoses. 2.If use with spiral hoses, hose fitting series number is 88192-XX-XX.

双面连接芯
DOUBLE CONNECTOR




90011

代号 PART NO.	软管 HOSE BORE		尺寸 DIMENSIONS
	公称内径DN	标号 DASH	L
90011-04	6	04	69
90011-05	8	05	69
90011-06	10	06	73
90011-08	12	08	77
90011-10	16	10	83
90011-12	20	12	93
90011-16	25	16	114
90011-20	32	20	132
90011-24	40	24	162
90011-32	50	32	170

注：用于纺织软管。 Note:For wire braid hose.

双面连接芯
DOUBLE CONNECTOR




90012

代号 PART NO.	软管 HOSE BORE		尺寸 DIMENSIONS
	公称内径DN	标号 DASH	L
90012-04	6	04	83
90012-05	8	05	87
90012-06	10	06	87
90012-08	12	08	91
90012-10	16	10	97
90012-12	20	12	110
90012-16	25	16	134
90012-20	32	20	153
90012-24	40	24	172
90012-32	50	32	178


注：用于纺织软管。 Note:For wire braid hose.

布锥管旋转外螺纹
NPT SWIVEL MALE




代号 PART NO.	螺纹 E THREAD E	软管 HOSE BORE		尺寸 DIMENSIONS	
		公称内径DN	标号 DASH	A	S2
15611SW-04-04	Z1/4"X18	6	04	56	19
15611SW-06-06	Z3/8"X18	10	06	60	22
15611SW-08-08	Z1/2"X14	12	08	66	27
15611SW-12-12	Z3/4"X14	20	12	68.4	32

布锥管旋转外螺纹
NPT SWIVEL MALE




代号 PART NO.	螺纹 E THREAD E	软管 HOSE BORE		尺寸 DIMENSIONS	
		公称内径DN	标号 DASH	A	S2
15611SW-04-04S	Z1/4"X18	6	04	27.9	19
15611SW-06-06S	Z3/8"X18	10	06	27	22
15611SW-08-08S	Z1/2"X14	12	08	30.9	27
15611SW-12-12S	Z3/4"X14	20	12	33.4	32

90° 布锥管旋转外螺纹
90° NPT SWIVEL MALE




代号 PART NO.	螺纹 E THREAD E	软管 HOSE BORE		尺寸 DIMENSIONS			
		公称内径DN	标号 DASH	A	H	S1	S2
15691KSW-04-04	Z1/4"X18	6	04	25	59.5	16	19
15691KSW-06-06	Z3/8"X18	10	06	25	64.5	16	22
15691KSW-08-08	Z1/2"X14	12	08	28.5	71.5	19	27
15691KSW-12-12	Z3/4"X14	20	12	36	76.9	27	32

SAE 带 O 形圈旋转外螺纹
SAE O-RING BOSS SWIVEL MALE




代号 PART NO.	螺纹 E THREAD E	软管 HOSE BORE		O形圈 O RING	尺寸 DIMENSIONS	
		公称内径DN	标号 DASH		A	S2
16011SW-08-06	3/4"X16	10	06	O908	57.5	27
16011SW-08-08	3/4"X16	12	08	O908	58	27
16011SW-10-08	7/8"X14	12	08	O910	59.5	27
16011SW-10-10	7/8"X14	16	10	O910	60.1	27
16011SW-12-12	1.1/16"X12	20	12	O912	64.9	32

SAE 带 O 形圈短身旋转外螺纹
SAE O-RING BOSS SWIVEL MALE




代号 PART NO.	螺纹 E THREAD E	软管 HOSE BORE		尺寸 DIMENSIONS	
		公称内径DN	标号 DASH	A	S2
16011SW-08-06S	3/4"X16	10	06	49.9	27
16011SW-08-08S	3/4"X16	12	08	50.4	27
16011SW-10-08S	7/8"X16	12	08	51.9	27
16011SW-10-10S	7/8"X16	16	10	52.5	27
16011SW-12-12S	1.1/16"X12	20	12	57.3	32

90°SAE带O形圈旋转外螺纹
90°SAE O-RING BOSS SWIVEL MALE



代号 PART NO.	螺纹 E THREAD E	软管 HOSE BORE		O形圈 O RING	尺寸 DIMENSIONS			
		公称内径DN	标号 DASH		A	H	S1	S2
16091KSW-08-06	3/4"X16	10	06	O908	28.5	63.5	19	27
16091KSW-08-08	3/4"X16	12	08	O908	28.5	63.5	19	27
16091KSW-10-06	7/8"X14	10	06	O910	28.5	65	19	27
16091KSW-10-08	7/8"X14	12	08	O910	28.5	65	19	27
16091KSW-10-10	7/8"X14	16	10	O910	30.5	65.5	22	27

90°SAE 带 O形圈旋转外螺纹
90°SAE O-RING BOSS SWIVEL MALE



代号 PART NO.	螺纹 E THREAD E	软管 HOSE BORE		尺寸 DIMENSIONS			
		公称内径DN	标号 DASH	A	H	S1	S2
16091KSW-08-06S	3/4"X16	10	06	23	55.9	19	27
16091KSW-08-08S	3/4"X16	12	08	23.5	55.9	19	27
16091KSW-10-06S	7/8"X14	10	06	23	57.9	19	27
16091KSW-10-08S	7/8"X14	12	08	23.5	57.9	19	27
16091KSW-10-10S	7/8"X14	16	10	25	57.9	22	27